

SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended



COPFORCE EXTRA

Creation date	01st July 2023	Version	3.0
Revision date	13th February 2026		

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Substance / mixture
UFI
Other mixture names

Cymoxanil 60 g/kg + Copper 300 g/kg (as Copper Hydroxide) WDG
mixture
J910-COMT-Y006-R6ND
Copforce Extra WG

1.2. Relevant identified uses of the substance or mixture and uses advised against

Mixture's intended use

Crop protection product, fungicide

The use descriptors

PC 27 Plant protection products

Mixture uses advised against

The product should not be used in ways other than those referred in Section 1.

1.3. Details of the supplier of the safety data sheet

Supplier

Name or trade name
Address
VAT number
Phone
Email
Web address

AGRIA S.A.
Asenovgradsko shose, Plovdiv, 4009
Bulgaria
BG115006106
+359 32 273 500
agria@agria.bg
<https://agria-zenithcropsciences.com/en/>

Competent person responsible for the safety data sheet

Name
Email

AGRIA S.A.
agria@agria.bg

1.4. Emergency telephone number

Centro Antiveleni di Bergamo Azienda Ospedaliera Papa Giovanni XXII Piazza OMS - Organizzazione Mondiale della Sanità, 1 24127 Bergamo 800 88 33 00
Centro Antiveleni di Roma CAV Policlinico "A. Gemelli", Dipartimento di Tossicologia Clinica Università Cattolica del Sacro Cuore Largo Agostino Gemelli, 8 00168 Roma +39 06 305 4343
Centro Antiveleni di Roma CAV Policlinico "Umberto I", Università di Roma Viale del Policlinico, 155 00161 Roma +39 06 4997 8000
Centro Antiveleni di Firenze Az. Osp. "Careggi" U.O. Tossicologia Medica, S.O.D. di Tossicologia Clinica Clinica Largo Brambilla, 3 50134 Firenze +39 055 794 7819
Centro Antiveleni di Pavia CAV Centro Nazionale di Informazione Tossicologica, IRCCS Fondazione Maugeri Via Salvatore Maugeri, 10 27100 Pavia +39 03 822 4444
CAV "Osp. Pediatrico Bambino Gesù" Dip. Emergenza e Accettazione DEA Piazza Sant'Onofrio, 4 165 Roma +39 06 68593726
Az. Osp. Univ. Foggia V.le Luigi Pinto, 1 71122 Foggia 800183459
Az. Osp. "A. Cardarelli" Via A. Cardarelli, 9 80131 Napoli 081-7472870
Osp. Niguarda Ca' Granda Piazza Ospedale Maggiore, 3 20162 Milano 02-66101029
24/7, Language telephone line: Italian

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification of the mixture in accordance with Regulation (EC) No 1272/2008

The mixture is classified as dangerous.

Acute Tox. 4, H302
Skin Sens. 1, H317
Eye Irrit. 2, H319
Repr. 2, H361fd
Aquatic Acute 1, H400
Aquatic Chronic 1, H410

Most serious adverse effects on human health and the environment

Causes serious eye irritation. Harmful if swallowed. May cause an allergic skin reaction. Suspected of damaging fertility. Suspected of damaging the unborn child.

SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended



Cymoxanil 60 g/kg + Copper 300 g/kg (as Copper Hydroxide) WDG

Creation date 01st July 2023 Version 3.0
Revision date 13th February 2026

2.2. Label elements

Hazard pictogram



Signal word

Warning

Hazardous substances

copper dihydroxide
cymoxanil (ISO)

Hazard statements

H302 Harmful if swallowed.
H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.
H361fd Suspected of damaging fertility. Suspected of damaging the unborn child.
H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements

P102 Keep out of reach of children.
P264 Wash face, hands and exposed parts of the body thoroughly after handling.
P272 Contaminated work clothing should not be allowed out of the workplace.
P273 Avoid release to the environment.
P280 Wear protective gloves/protective clothing/eye protection/face protection.
P301+P312 IF SWALLOWED: Call a doctor if you feel unwell.
P302+P352 IF ON SKIN: Wash with plenty of water.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308+P313 IF exposed or concerned: Get medical advice/attention.
P330 Rinse mouth.
P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
P337+P313 If eye irritation persists: Get medical advice/attention.
P363 Wash contaminated clothing before reuse.
P391 Collect spillage.
P501 Dispose of container to in accordance with national regulations.

Supplemental information

EUH401 To avoid risks to human health and the environment, comply with the instructions for use.

2.3. Other hazards

not available

SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended



Cymoxanil 60 g/kg + Copper 300 g/kg (as Copper Hydroxide) WDG

Creation date 01st July 2023 Version 3.0
Revision date 13th February 2026

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Mixture of substances and additives specified below.

Mixture contains these hazardous substances and substances with the highest permissible concentration in the working environment

Identification numbers	Substance name	Content in % weight	Classification according to Regulation (EC) No 1272/2008	Note
Index: 029-021-00-3 CAS: 20427-59-2 EC: 243-815-9	copper dihydroxide	46.1	Acute Tox. 4, H302 Eye Dam. 1, H318 Acute Tox. 2, H330 Aquatic Acute 1, H400 (M=10) Aquatic Chronic 1, H410 (M=10) Specific concentration limit: ATE Inhalation (dust/mist) = 0.47 mg/l ATE Oral = 500 mg/kg bw	1
Index: 616-035-00-5 CAS: 57966-95-7 EC: 261-043-0	cymoxanil (ISO)	6	Acute Tox. 4, H302 Skin Sens. 1, H317 Repr. 2, H361fd STOT RE 2, H373 (eyes, thymus, circulatory system) Aquatic Acute 1, H400 (M=1) Aquatic Chronic 1, H410 (M=1) Specific concentration limit: ATE Oral = 360 mg/kg bw	1
CAS: 68425-94-5	Tersperse 2020 (Residues (petroleum), catalytic reformer fractionator, sulfonated, polymers with formaldehyde, sodium salts)	5	Skin Irrit. 2, H315 Eye Dam. 1, H318	

Notes

1 A substance for which exposure limits are set.

Full text of all classifications and hazard statements is given in the section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

Do not provide liquid through the mouth if the affected person is unconscious or suffers from spasm. If any health problems are manifested or if in doubt, inform a doctor and show him information from this safety data sheet.

If inhaled

Terminate the exposure immediately; move the affected person to fresh air. In the event of issues, find medical advice.

If on skin

Depending on the situation, call medical rescue service or ensure medical treatment. Remove contaminated clothes. Rinse cautiously with water for several minutes.

If in eyes

Call medical rescue service. Rinsing should be continued for 10-30 minutes from the inner to the outer eye corner to make sure that the other eye is not involved.

If swallowed

DO NOT INDUCE VOMITING! Provide medical treatment.

SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended



Cymoxanil 60 g/kg + Copper 300 g/kg (as Copper Hydroxide) WDG

Creation date	01st July 2023	Version	3.0
Revision date	13th February 2026		

- 4.2. Most important symptoms and effects, both acute and delayed**
- If inhaled**
May cause drowsiness or dizziness. May cause respiratory irritation.
- If on skin**
Causes skin irritation. Repeated exposure may cause skin dryness or cracking.
- If in eyes**
Causes serious eye irritation.
- If swallowed**
Disorder of digestive system, stomach pain, vomiting, diarrhoea.

- 4.3. Indication of any immediate medical attention and special treatment needed**
Symptomatic treatment.
- More information**
Use PPE.

SECTION 5: Firefighting measures

- 5.1. Extinguishing media**
- Suitable extinguishing media**
Carbon dioxide, foam, powder.
- Unsuitable extinguishing media**
Water - full jet.
- 5.2. Special hazards arising from the substance or mixture**
In the event of fire, carbon monoxide, carbon dioxide and other toxic gases may arise.
- 5.3. Advice for firefighters**
Self-Contained Breathing Apparatus (SCBA) with a chemical protection suit only where personal (close) contact is likely. Closed containers with the product near the fire should be cooled with water. Do not allow run-off of contaminated fire extinguishing material to enter drains or surface and ground water.

SECTION 6: Accidental release measures

- 6.1. Personal precautions, protective equipment and emergency procedures**
Prevent contact with skin and eyes. Do not inhale gases and vapours. Use personal protective equipment for work. Provide sufficient ventilation.
- 6.2. Environmental precautions**
Do not allow to enter drains. In the event of substantial pollution, contact respective authorities and wastewater treatment plants. Prevent contamination of the soil and entering surface or ground water.
- 6.3. Methods and material for containment and cleaning up**
Absorb spillage to prevent material damage. Dispose of the collected material according to the instructions in the section 13.
- 6.4. Reference to other sections**
See the Section 7, 8 and 13.

SECTION 7: Handling and storage

- 7.1. Precautions for safe handling**
Prevent formation of gases and vapours in concentrations exceeding the occupational exposure limits. Prevent contact with skin and eyes. Contaminated work clothing should not be allowed out of the workplace. Wash hands and exposed parts of the body thoroughly after handling. Do not eat, drink or smoke when using this product. Use personal protective equipment as per Section 8. Observe valid legal regulations on safety and health protection. Avoid release to the environment.
- 7.2. Conditions for safe storage, including any incompatibilities**
Store in tightly closed containers in cold, dry and well ventilated areas designated for this purpose.
Storage temperature min 0 °C, max 35 °C
- The specific requirements or rules relating to the substance/mixture**
For the relevant identified use(s) listed in Section 1, the advice mentioned in this section 7 is to be observed. See product label/leaflet for end use instructions.
- 7.3. Specific end use(s)**
not available

SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended



Cymoxanil 60 g/kg + Copper 300 g/kg (as Copper Hydroxide) WDG

Creation date 01st July 2023 Version 3.0
Revision date 13th February 2026

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

The mixture contains substances for which occupational exposure limits are set.

Bulgaria

Substance name (component)	Type	Value
copper dihydroxide (CAS: 20427-59-2)		0,1 mg/m ³
cymoxanil (ISO) (CAS: 57966-95-7)		2,0 mg/m ³

8.2. Exposure controls

Take off contaminated clothing and wash before reuse. Follow the usual measures intended for health protection at work and especially for good ventilation. This can be achieved only by local suction or efficient general ventilation. Do not eat, drink and smoke during work. Wash your hands thoroughly with water and soap after work and before breaks for a meal and rest.

Eye/face protection



Protective goggles.

Skin protection



Hand protection: Protective gloves resistant to the product. When choosing appropriate thickness, material and permeability of the gloves, observe recommendations of their particular manufacturer. Other protection: protective workwear. Contaminated skin should be washed thoroughly.

Glove material	Thickness	Breakthrough time	Class	Exposure time
Nitrile (NBR)	≥ 0.4 mm	>240 min	5	Long-term
Butyl rubber (IIR)	≥ 0.3 mm	>480 min	6	

Respiratory protection



In case of inadequate ventilation wear respiratory protection.

Thermal hazard

Not available.

Environmental exposure controls

Observe usual measures for protection of the environment, see Section 6.2. Collect spillage.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	solid
Colour	green
color intensity	dark
Odour	specific
Melting point/freezing point	data not available
Boiling point or initial boiling point and boiling range	data not available

SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended



Cymoxanil 60 g/kg + Copper 300 g/kg (as Copper Hydroxide) WDG

Creation date 01st July 2023 Version 3.0
Revision date 13th February 2026

Flammability	not highly flammable.
Lower and upper explosion limit	data not available
Flash point	data not available
Auto-ignition temperature	178.1 °C (EEC A16)
Decomposition temperature	data not available
pH	5-8 (1% solution)
Kinematic viscosity	data not available
Solubility in water	data not available
Partition coefficient n-octanol/water (log value)	data not available
Vapour pressure	data not available
Density and/or relative density	
Density	0.844 g/cm ³ at 20 °C
Relative vapour density	data not available
Particle characteristics	data not available
Form	solid: granular

9.2. Other information

not available

SECTION 10: Stability and reactivity

10.1. Reactivity

No hazardous reactions when stored and handled according to instructions.

10.2. Chemical stability

The product is stable under normal conditions.

10.3. Possibility of hazardous reactions

Unknown.

10.4. Conditions to avoid

The product is stable and no degradation occurs under normal use. Protect against flames, sparks, overheating and against frost.

10.5. Incompatible materials

Protect against strong acids, bases and oxidizing agents.

10.6. Hazardous decomposition products

Not developed under normal uses. Dangerous outcomes such as carbon monoxide and carbon dioxide are formed at high temperature and in fire.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Hazardous substances in concentrations exceeding exposure limits may cause acute inhalation poisoning, depending on the concentration and duration of exposure. No toxicological data is available for the mixture.

Acute toxicity

Harmful if swallowed. Data for the components of the mixture are not available.

Cymoxanil 60 g/kg + Copper 300 g/kg (as Copper Hydroxide) WDG							
Route of exposure	Parameter	Method	Value	Exposure time	Species	Sex	Value determination
Oral	ATE		918.6 mg/kg				Calculation of value
Inhalation (dust/mist)	ATE		1.0195 mg/l				Calculation of value
Oral	LD ₅₀	OECD 423	2000 mg/kg bw		Rat (Rattus norvegicus)		
Dermal	LD ₅₀	OECD 402	2000 mg/kg bw		Rat (Rattus norvegicus)		
Inhalation	LC ₅₀	OECD 403	2.328 mg/l	4 hours	Rat (Rattus norvegicus)		

SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended



Cymoxanil 60 g/kg + Copper 300 g/kg (as Copper Hydroxide) WDG

Creation date 01st July 2023 Version 3.0
Revision date 13th February 2026

copper dihydroxide

Route of exposure	Parameter	Method	Value	Exposure time	Species	Sex	Value determination
Inhalation (dust/mist)	ATE		0.47 mg/l				
Oral	ATE		500 mg/kg bw				

cymoxanil (ISO)

Route of exposure	Parameter	Method	Value	Exposure time	Species	Sex	Value determination
Oral	ATE		360 mg/kg bw				

Skin corrosion/irritation

Data for the components of the mixture are not available. Based on the available data, the criteria for classification of the mixture are not met.

Cymoxanil 60 g/kg + Copper 300 g/kg (as Copper Hydroxide) WDG

Route of exposure	Result	Method	Exposure time	Species
Skin	Not irritating	OECD 404		Rabbit

Serious eye damage/irritation

Causes serious eye irritation. Data for the components of the mixture are not available.

Cymoxanil 60 g/kg + Copper 300 g/kg (as Copper Hydroxide) WDG

Route of exposure	Result	Method	Exposure time	Species
Eye	Irritating	OECD 405		Rabbit

Respiratory or skin sensitisation

May cause an allergic skin reaction. Data for the components of the mixture are not available.

Cymoxanil 60 g/kg + Copper 300 g/kg (as Copper Hydroxide) WDG

Route of exposure	Result	Method	Exposure time	Species	Sex
Skin	Sensitizing	OECD 429		Rat (<i>Rattus norvegicus</i>)	

Germ cell mutagenicity

Based on the available data, the criteria for classification of the mixture are not met.

Carcinogenicity

Based on the available data, the criteria for classification of the mixture are not met.

Reproductive toxicity

Suspected of damaging fertility. Suspected of damaging the unborn child. Data for the components of the mixture are not available.

Toxicity for specific target organ - single exposure

Based on the available data, the criteria for classification of the mixture are not met.

Toxicity for specific target organ - repeated exposure

May cause damage to organs through prolonged or repeated exposure.

Aspiration hazard

Based on the available data, the criteria for classification of the mixture are not met.

SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended



Cymoxanil 60 g/kg + Copper 300 g/kg (as Copper Hydroxide) WDG

Creation date 01st July 2023 Version 3.0
Revision date 13th February 2026

11.2. Information on other hazards

Endocrine disrupting properties

Based on the available data, the criteria for classification of the mixture are not met. Does not contain any components that may cause endocrine disruption for humans.

Other information

not available

SECTION 12: Ecological information

12.1. Toxicity

Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects. Data for the components of the mixture are not available.

Acute toxicity

Cymoxanil 60 g/kg + Copper 300 g/kg (as Copper Hydroxide) WDG					
Parameter	Method	Value	Exposure time	Species	Environment
NOAEC	OECD 202	0.03 mg/l		Daphnia (Daphnia magna)	
LOEC	OECD 202	0.08 mg/l		Daphnia (Daphnia magna)	
EC ₅₀	OECD 202	0.29 mg/l	24 hours	Daphnia (Daphnia magna)	
EC ₅₀	OECD 202	0.17 mg/l	48 hours	Daphnia (Daphnia magna)	
NOEC	OECD 201	1.88 mg/l		Algae (Pseudokirchneriella subcapitata)	
LOEC	OECD 201	3.75 mg/l		Algae (Scenedesmus subspicatus)	
EC ₅₀	OECD 201	9.08 mg/l	72 hours	Algae (Scenedesmus subspicatus)	
NOEC	OECD 203	1.4 mg/l		Fish (Oncorhynchus mykiss)	
LOEC	OECD 203	2.8 mg/l		Fish (Oncorhynchus mykiss)	
LC ₅₀	OECD 203	6.38 mg/l	48 hours	Fish (Oncorhynchus mykiss)	
LC ₅₀	OECD 203	5.17 mg/l	72 hours	Fish (Oncorhynchus mykiss)	
LC ₅₀	OECD 203	5.17 mg/l	96 hours	Fish (Oncorhynchus mykiss)	
LD ₅₀	OECD 223	1015.392 mg/kg bw		Birds (Japanese quail)	
LD ₅₀	OECD 214	189.2	24 hours	Bees (Apis mellifera)	
NOEC	OECD 207	343.8 mg/kg		Earthworm (Eisenia fetida)	
LOEC	OECD 207	687.5 mg/kg		Earthworm (Eisenia fetida)	
LC ₅₀	OECD 207	845.71 mg/kg	14 days	Earthworm (Eisenia fetida)	

12.2. Persistence and degradability

Data not available.

12.3. Bioaccumulative potential

Data not available.

12.4. Mobility in soil

SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended



Cymoxanil 60 g/kg + Copper 300 g/kg (as Copper Hydroxide) WDG

Creation date	01st July 2023	Version	3.0
Revision date	13th February 2026		

Based on the available data, the criteria for classification of the mixture are not met. Does not contain any PMT or vPvM components.

12.5. Results of PBT and vPvB assessment

Based on the available data, the criteria for classification of the mixture are not met. Does not contain any PBT or vPvB components.

12.6. Endocrine disrupting properties

Based on the available data, the criteria for classification of the mixture are not met. Does not contain any components that may cause endocrine disruption in the environment.

12.7. Other adverse effects

Not available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Hazard of environmental contamination; dispose of the waste in accordance with the local and/or national regulations. Any unused product and contaminated packaging should be put in labelled containers for waste collection and submitted for disposal to a person authorised for waste removal (a specialized company) that is entitled for such activity. Do not empty unused product in drainage systems. The product must not be disposed of with municipal waste. Perfectly cleaned containers can be submitted for recycling.

Waste management legislation

Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on waste, as amended. Decision 2000/532/EC establishing a list of wastes, as amended.

Waste type code

07 04 01* aqueous washing liquids and mother liquors
07 04 13* solid wastes containing dangerous substances
15 01 10* packaging containing residues of or contaminated by hazardous substances
(*) - Hazardous waste according to Directive 2008/98/EC on hazardous waste

SECTION 14: Transport information

14.1. UN number or ID number

UN 3077

14.2. UN proper shipping name

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (cymoxanil, copper hydroxide)

14.3. Transport hazard class(es)

9 Miscellaneous dangerous substances and articles

14.4. Packing group

III

14.5. Environmental hazards

Reference in the Sections 2 and 12.

14.6. Special precautions for user

Reference in the Sections 4 to 8.

14.7. Maritime transport in bulk according to IMO instruments

Maritime transport in bulk is not intended.


Additional information

Hazard identification No.

UN number


Classification code

Safety signs



M7

9+hazardous for the environment



Tunnel restriction code

(-)

SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended



Cymoxanil 60 g/kg + Copper 300 g/kg (as Copper Hydroxide) WDG

Creation date	01st July 2023	Version	3.0
Revision date	13th February 2026		

Air transport - ICAO/IATA

Packaging instructions passenger	956
Cargo packaging instructions	956

Marine transport - IMDG

EmS (emergency plan)	F-A, S-F
Marine pollutant	Yes

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Regulation (EC) No. 1907/2006 of the European Parliament and of the Council of 18th December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing the European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No. 793/93 and Commission Regulation (EC) No. 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, as amended.

15.2. Chemical safety assessment

A Chemical Safety Assessment has been carried out.

SECTION 16: Other information

A list of standard risk phrases used in the safety data sheet

H302	Harmful if swallowed.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H361fd	Suspected of damaging fertility. Suspected of damaging the unborn child.
H373	May cause damage to the eyes, thymus and circulatory system through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
EUH401	To avoid risks to human health and the environment, comply with the instructions for use.
H410	Very toxic to aquatic life with long lasting effects.

Guidelines for safe handling used in the safety data sheet

P102	Keep out of reach of children.
P264	Wash face, hands and exposed parts of the body thoroughly after handling.
P272	Contaminated work clothing should not be allowed out of the workplace.
P273	Avoid release to the environment.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P301+P312	IF SWALLOWED: Call a doctor if you feel unwell.
P302+P352	IF ON SKIN: Wash with plenty of water.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308+P313	IF exposed or concerned: Get medical advice/attention.
P330	Rinse mouth.
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P337+P313	If eye irritation persists: Get medical advice/attention.
P363	Wash contaminated clothing before reuse.
P391	Collect spillage.
P501	Dispose of container to in accordance with national regulations.

Other important information about human health protection

The product must not be - unless specifically approved by the manufacturer/importer - used for purposes other than as per the Section 1. The user is responsible for adherence to all related health protection regulations.

Key to abbreviations and acronyms used in the safety data sheet

Acute Tox.	Acute toxicity
------------	----------------

SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended



Cymoxanil 60 g/kg + Copper 300 g/kg (as Copper Hydroxide) WDG

Creation date	01st July 2023	Version	3.0
Revision date	13th February 2026		

ADR	Agreement concerning the international carriage of dangerous goods by road
Aquatic Acute	Hazardous to the aquatic environment
Aquatic Chronic	Hazardous to the aquatic environment (chronic)
ATE	Acute toxicity estimate
BCF	Bioconcentration Factor
CAS	Chemical Abstracts Service
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substance and mixtures
EC	Identification code for each substance listed in EINECS
EC ₅₀	Concentration of a substance when it is affected 50 % of the population
EINECS	European Inventory of Existing Commercial Chemical Substances
EmS	Emergency Response Procedures for Ships Carrying Dangerous Goods
EU	European Union
EuPCS	European Product Categorisation System
Eye Dam.	Serious eye damage
Eye Irrit.	Eye irritation
IATA	International Air Transport Association
IBC	International Code For The Construction And Equipment of Ships Carrying Dangerous Chemicals
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods
IMO	International Maritime Organization
INCI	International Nomenclature of Cosmetic Ingredients
ISO	International Organization for Standardization
IUPAC	International Union of Pure and Applied Chemistry
LC ₅₀	Lethal concentration of a substance in which it can be expected death of 50% of the population
LD ₅₀	Lethal dose of a substance in which it can be expected death of 50% of the population
log Kow	Octanol-water partition coefficient
NOAEC	No observed adverse effect concentration
NOEC	No observed effect concentration
OEL	Occupational Exposure Limits
PBT	Persistent, bioaccumulative and toxic
PMT	Persistent, mobile and toxic
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
Repr.	Reproductive toxicity
RID	Regulation concerning the International Carriage of Dangerous Goods by Rail
Skin Irrit.	Skin irritation
Skin Sens.	Skin sensitization
STOT RE	Specific target organ toxicity - repeated exposure
UN number	Four-figure identification number of the substance or article taken from the UN Model Regulations
UVCB	Substances of unknown or variable composition, complex reaction products or biological materials
VOC	Volatile organic compounds
vPvB	Very persistent and very bioaccumulative
vPvM	Very persistent and very mobile

Training guidelines

Inform the personnel about the recommended ways of use, mandatory protective equipment, first aid and prohibited ways of handling the product.

Recommended restrictions of use

not available

Information about data sources used to compile the Safety Data Sheet

SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended



Cymoxanil 60 g/kg + Copper 300 g/kg (as Copper Hydroxide) WDG

Creation date	01st July 2023	Version	3.0
Revision date	13th February 2026		

REGULATION (EC) No. 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL (REACH) as amended.
REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Data from the manufacturer of the substance / mixture, if available - information from registration dossiers.

More information

Classification procedure - calculation method.

Statement

The safety data sheet provides information aimed at ensuring safety and health protection at work and environmental protection. The provided information corresponds to the current status of knowledge and experience and complies with valid legal regulations. The information should not be understood as guaranteeing the suitability and usability of the product for a particular application.